## RAJASTHAN UNIVERSITY OF HEALTH SCIENCES, JAIPUR

## **DRUG CONTROL OFFICER RECRUITMENT EXAMINATION 2018**

Date of Exam: 18<sup>th</sup> May 2018 [09:00 AM to 11:00 AM]

## Multiple Choice Question paper & Answer Key

Correct Answer is mentioned in Square Brackets.

- 1. Nernst equation is generally practice in
  - a. Complexometric titration
  - b. Potentiometry
  - c. Polarimetry
  - d. Non Aqueous titration



- 2. Match the following term used for explanation
  - P. Red Shift
- Carbonyl group
- Q. Auxochrome
- 2. Increase in wavelength of Absorption
- R. Chromophore
- 3. Amino Group
- S. Blue shift
- 4. Decrease in wavelength of Absorption
- a. P-2, Q-1, R-4, S-3
- b. P-4, Q-2, R-3, S-1
- c. P-3, Q-1, R-2, S-4
- d. P-2, Q-3, R-1, S-4

[ d ]

- 3. The molar absorptivities for peak associated with excita $\mathbb D$  on to the  $\pi \to \pi^*$  state generally ranged from
  - a. 1000 to 10000 L cm<sup>-1</sup> mol<sup>-1</sup>
  - b. 1000 to 500 L cm<sup>-1</sup> mol<sup>-1</sup>
  - c. 100 to 10 L cm<sup>-1</sup> mol<sup>-1</sup>
  - d.  $200 \text{ to } 400 \text{ L cm}^{-1} \text{ mol}^{-1}$

[a]

- 4. Which is the correct order of increasing wave number of the stretching vibrations of (1) C-H (alkane), (2) O-H (alcohol), (3) C=0 (ketone), and (4) C≡C (alkyne)?
  - a. (4) < (3) < (1) < (2)
  - b. (4) < (3) < (2) < (1)
  - c. (3) < (4) < (2) < (1)
  - d. (3) < (4) < (1) < (2)
- 5. Solochrome black indicator used in which type of titration
  - a. Non aqueous titration
  - b. Acid base titration
  - c. Complexometric titration
  - d. Gravimetric analysis
- 6. Aprotic solvents have
  - a. Basic
  - b. Acidic
  - c. No Acidic or Basic
  - d. Both Acidic and Basic properties

[ c ]

[d]

- 7. In Gas Chromatography, Which detector is preferred when analysis of drugs contain halogens?
  - a. FID
  - b. TCD
  - c. ECD
  - d. PID [c]
- 8. The glass electrode used in pH measurement is
  - a. a metal metaloxide electrode
  - b. Ion selective electrode
  - c. A membrane electrode
  - d. Plastic Electrode [b]

[d]

- 9. In size exclusion chromatography of a mixture of molecules, which one will elute first?
  - a. The largest molecule
  - b. The smallest molecule
  - c. The most polar molecule
  - d. The most non polar molecule [a]
- 10. Iodine vapours for TLC are used to detect the
  - a. Steroids
  - b. Carboxylic acids
  - c. Volatile compound
  - d. Unsaturated compound
- 11. The drug Bisacodyl is assayed titrant
  - a. 0.1 N NaOH
  - b. 0.1 N HCl
  - c.  $0.1 \text{ M N}(C_4H_9)_4 \text{ OH}$
  - d.  $0.1 \text{ N HClO}_4$  [d]
- 12. An example of strongly acidic cation exchange resin is
  - a. Quartery polymethacrylate
  - b. Phenol formaldehyde
  - c. Quaterly Polystrene
  - d. Sulphonated polystyrene [ d ]
- 13. Which method cannot useful for the bacterial endotoxin test
  - a. Gel Clot test method
    - b. Kinetic Turbidimetric method
    - c. Titrimetric method
    - d. End point Chromogenic method [ c ]

- 14. Which type of bioassay method are not type of Graded response
  - a. Matching point method
  - b. End point method
  - c. Bracketing Method
  - d. Multiple point method

[b]

- 15. If the drug is unretained by the stationary phase and elute with the solvent front then Retention factor (k) is
  - a. K = 0
  - b. K > 20
  - c. K is between 1 and 20
  - d. K > 01

[a]

- 16. According to pharmacopeia, which microorganism used for Vitamin B12 activity assay?
  - a. Pseudomonas Aeroginosa
  - b. Lactobacillus leichmannii
  - c. Staphylococcus cerevisies
  - d. Bacillus subtillis

[b]

- 17. Which test organism is used to microbial assay of Tetracycline
  - a. Bacillus cereus
  - b. Bacillus Pumilus
  - c. Bacillus subtilis
  - d. Micrococcus luteus

[a]

- 18. The guasian peak having Tailing factor (T<sub>f</sub>) of
  - a.  $T_f = 0$
  - b.  $T_f = 0.5$
  - c.  $T_f = 1$
  - d.  $T_f = 2$

Densitometric detection of components can be done in 19. **HPTLC** a. **HPLC** b. **UV** spectrometry d. **IR Spectroscopy** [a] 20. For detection of spots of amino acids on a paper chromatogram, the most widely used method is U.V. Light a. Spray with ceric sulphate b. Spray with ninhydrin c. [c] d. Use of radioisotope technique 21. Which of the following is opium? a. The dried latex exudates of the unripe incised capsules The dried aqueous extract of the ripe capsules b. The dried alcoholic extract of the unripe capsules c. concentrated alcoholic extract of the poppy straw d. [a] 22. Atropine is a 1:1 mixture of D and L-... Scopoletin a. Scopolamine Hyoscyamine Belladonnin [c] Which of the following is the common skeleton of physiologically active ergoline 23. alkaloids? Clavorubine Isolysergic acid b. c. 2-Phenylbenzopyran [d] d. Lysergic acid

- 24. Which of the following is the reagent for alkaloids?
  - a. 2,4-Dinitrophenylhydrazine
  - b. Iron(III)chloride
  - c. Antimony(III)chloride
  - d. Potassium tetra iodomercurate [ d ]
- 25. Ergotoxine is a mixture of
  - a. 2 alkaloids
  - b. 3 alkaloids
  - c. 4 alkaloids
  - d. 6 alkaloids
- 26. Ergot powder gives blue color with
  - a. Benzaldehyde
  - b. P-dimethyl aminobenzaldehyde
  - c. Cinnamaldehyde
  - d. Formaldehyde [b]
- 27. Which is not the chemical constituent naturally obtained from Opium?
  - a. Morphine
  - b. Codeine
  - c. Narcotine
  - d. Heroine [d]
- 28. Palthe senna is identified with...
  - a. Absence of anthraquinone glycoside
  - b. Lamina is denser
  - c. Presence of anthraquinone glycoside
  - d. with tapering apex [a]

- 29. Which is not the biological source of Cinchona?
  - a. Cinchona calisaya
  - b. Cinchona officinalis
  - c. Cinchona succirubra
  - d. Cinchona indica [d]
- 30. Clove belongs to following family
  - a. Rubiaceae
  - b. Myrtaceae
  - c. Liliaceae
  - d. Rutaceae
- 31. The vitamin essential in tissue culture medium is
  - a. Pyridoxine
  - b. Thiamine
  - c. Nicotinic acid
  - d. Inositol [b]
- 32. Trukish opium is commonly known as
  - a. Chemist opium
  - b. Druggist opium
  - c. Chinese opium
  - d. Chemist and druggist [b]
- 33. Bara Chandrika is synonym of
  - a. Rauwolfia tetraphylla
  - b. Rauwolfia vomitoria
  - c. Rauwolfia serpentina
  - d. Rauwolfia canacens [a]

- 34. Which drug is under the chemical class of indole?
  - a. Senna
  - b. Cinnamon
  - c. Rauwolfia
  - d. Belladona [c]
- 35. Vincristine act by which mechanism?
  - a. Inhibition of microtubule formation in mitotic spindle
  - b. suppresses the denovo biosynthesis of purines
  - c. inhibiting the production of THF
  - d. Immuno suppressant
- 36. Match the mode of action with antihypertensive drug
  - P. Block of β- adrenoceptors
- 1. Lisinopril
- Q. ACE inhibition
- 2. Metoprolol
- R. Arteriolar vasodilation
- 3. Amlodipine
- S. Block of  $\alpha_1$  adrenoceptors
- Doxazocin

- a. P-2, Q-3, R-4, S-1
- b. P-1, Q-2, R-3, S-4
- c. P-2, Q-1, R-3, S-4
- d. P-4, Q-1, R-2, S-3 [c]

4.

- 37. Adulterants of Rauwolfia serpentine are distinguished on the basis of:
  - a. Presence of sclerenchyma
  - b. Absence of sclerenchyma
  - c. Presence of parenchyma
  - d. Absence of parenchyma

[a]

3 <mark>8.</mark>	Certain of the cells of the spongy Mesophyll are filled with microphenoidal (sandy)  Crystals of calcium oxalate is characteristic of				
	a.	Rauwolfia serpentina			
	b.	Cinchona calisaya			
	c.	Cassia acutifolia			
	d.	Atropa belladonna	[d]		
39.	Which	is not the use of Datura?			
	a.	Anticholinergic			
	b.	Mydriatic	.0		
	c.	Antiadrenergic			
	d.	Control of Motion sickness	[c]		
40.	Entire parts of the following drugs are effective, except:				
	a.	Ergot			
	b.	Belladonna			
	c.	Clove			
	d.	Datura	[c]		
41.	If an agonist can produce maximal effects and has high efficacy it's called:				
	a.	Partial agonist			
	b.	Antagonist			
	C.	Agonist – Antagonist			
	d.	Full agonist	[d]		
42.	Which	is not the use of ergot?			
	a.	Oxytocin			
	b.	Prevent bb			
	C.	Migraine			
	d.	Laxative	[d]		

43.	Indicate the local anaesthetic, which is ester of para amino benzoic acid:		
	a.	Procaine	
	b.	Cocaine	
	C.	Lidocaine	
	d.	Mepivacaine	[a]
44.	Which antiepileptic drug acts by inhibiting central effects of excitatory amino acids?		
	a.	Diazepam	
	b.	Lamotrigine	O.º
	c.	Ethosuximide	
	d.	Topiramate	[b]
45.	Whic	h consideration is not true for phenytoin?	
	a.	It inhibit calcium channel	
	b.	Structurally related to the barbiturates	
	c.	Effective against partial seizure	
	d.	Effective against generalized seizure	[ a ]
46.	Whic	h of the following insulin preparation has longest duration o	of action?
	a.	Semilente	
	b.	Protamine zinc	
	c.	Lente	
	d.	Isophane	[b]
47.	Anti-ı	nicrobial action of penicillin is due to its effect on	
	a.	Protein synthesis	
<b>\</b>	b.	Cell membrane	
	C.	Cell wall synthesis	
	d.	DNA synthesis	[c]

- 48. Aminoglycoside inhibit bacterial protein synthesis by binding to
  - a. 30s ribosomal particles
  - b. Peptidoglycans in cell wall
  - c. DNA

d. m-RNA [a]

- 49. The drug which is potent vanilloid receptor agonist that selectively stimulates nociceptive nerve endings
  - a. Icatibant
  - b. Papaverine
  - c. Capsaicin
  - d. Methadone

[c]

- 50. Which enzyme is a constitutive enzyme in most tissue and having a house keeping role in the body?
  - a. COX 1
  - b. COX 2
  - c. 5 HT

d. 15 - HT [a]

- 51. Which anti-inflammatory drug having most common side effect of skin reaction?
  - a. Aspirin
  - b. Acetaminophen
  - c. Ibuprofen
  - d. Mefenamic acid [d]

- 52. Match the antiasthamatic drug with their mechanism of action
  - P. Salbutamol
- 1. Bronchodilator
- Q. Oxitropium
- 2. Muscarinic receptor agonist
- R. Zafirlukast
- 3. The cysteinyl leukotriene receptor antagonist
- S. Loratidine
- 4. Histamine H<sub>1</sub> receptor agonist
- a. P-1, Q-2, R-3, S-4
- b. P-2, Q-3, R-4, S-1
- c. P-3, Q-4, R-1, S-2
- d. P-4, Q-1, R-2, S-3

[ a ]

- 53. Which drug is non analgesic opiate and used as a cough suppressant?
  - a. Dextromethorphan
  - b. Cromoglicate
  - c. Pholcodine
  - d. Glucocorticoids

[c]

- 54. Antileprotic action of Dapsone is due to mainly effect on
  - a. Inhibition of folate synthesis
  - b. Calcium channel blocker
  - c. Phagocytosis
  - d. DNA synthesis

[a]

- 55. Which of the following statement is not true for Isoniazide
  - a. It inhibit synthesis of mycolic acid
  - b. Metabolism involves Acetylation
  - c. Used to prevent bronchospasm
  - d. It may cuase haemolytic anaemia

- 56. The cefuroxime drug comes under
  - a. 1<sup>st</sup> Generation compound
  - b. 2<sup>nd</sup> Generation compound
  - c. 3<sup>rd</sup> Generation compound
  - d. 4<sup>th</sup> Generation compound

[b]

- 57. Which antimalarial drug is not a blood schizonticidal drug?
  - a. Halofantrine
  - b. Mefloquine
  - c. Primaquine
  - d. Chloroquine



- 58. The absorption of water is under the control of \_\_\_\_\_hormone.
  - a. vasopressin
  - b. Aldosterone
  - c. Androgen
  - d. glucocorticoid


[a]

- 59. Match the mechanism of action of respective vasodilator drug
  - P. Calcium antagonist
  - Q. Activate Potassium channel
  - R. Act via cyclic nucleotides
  - S. Renin inhibitor
  - a. P-4, Q-1, R-2, S-3
  - b. P-2, Q-3, R-4, S-1
  - c. P-4, Q-3, R-2, S-1
  - d. P-1, Q-2, R-3, S-4

- 1. Enalkiren
- 2. Nitroprusside
- 3. Minoxidil
- 4. Verapamil

- 60. Amoebiasis is an infection of
  - a. E. Coli
  - b. Entamoeba histolytica
  - c. Leishmania
  - d. Trypanosoma gambiense

[b]



- 66. Sidenafil is used for treatment of one of the following disorder
  - a. Systolic Hypertension
  - b. Unstable angina
  - c. Pulmonary Hypertension
  - d. Hypertension due to eclampsia

[c]

- 67. Cardiac glycosides have the following configuration in the aglycone part of the steroid nucleus:
  - a. 5a, 14 a
  - b. 5a, 14β
  - c. 5β, 14a
  - d.  $5\beta$ ,  $14\beta$

[d]

- 68. The film type transdermal drug delivery system (TDDS) could have a polymer EXCEPT
  - a. Ethylcellulose
  - b. Polyvinyl alcohol
  - c. Poly ethylene glycol
  - d. Glass substrate

[ d ]

- 69. The size of small Unilamellar Vesicle (SUV) Liposomal spherical structure usually between...,
  - a. 20 nm 100 nm
  - b. 100 nm 400 nm
  - c. 1 μm and larger
- 70. Removal and killing of all microorganism is known as
  - a. Destruction
  - b. Sterilization
  - c. Pasteurization
  - d. Removal [b]

- 71. The efficiency of moist heat sterilization is tested with
  - a. Clostridium botulinum
  - b. Spores of aerobic bacteria
  - c. Spores of bacillus stearothermophilus
  - d. Vegetative cells of Bacillus Stearothermophilus [c]
- 72. Which is called as cold sterilization?
  - a. Autoclave
  - b. Gamma rays
  - c. Infrared rays
  - d. UV rays
- 73. Schedule H of the Drug and Cosmetic Act, 1945 contains
  - a. Antibiotics and Antihistaminic
  - b. Vaccine and sera
  - c. Biological and special product
  - d. Drugs to be sold only on the prescription of a registered medical practioner

[d]

- 74. Narcotic drug and Psychotropic Substance Act was passed in the year
  - a. 1945
  - b. 1950
  - c. 1985
  - d. 1986 [c]
- 75. The Pharmacy Act was passed in the year
  - a. 1945
  - b. 1948
  - c. 1954
  - d. 1985 [b]

- 76. The Essential Commodities Act is comes under which department?
  - a. Department of External affairs
  - b. Department of Consumer affairs
  - c. Department of finance
  - d. Export import [b]
- 77. What is the full name of IPDMS?
  - a. Indian Pharmaceutical Development monograph system
  - b. International pharmaceutical development management system
  - c. Integrated Pharmaceutical Database management system
  - d. Institute of Pharmaceutical development management system [c]
- 78. Which route of drug administration is most likely to lead to the first pass effect?
  - a. Sublingual
  - b. Oral
  - c. Intravenous
  - d. Intramuscular [b]
- 79. What is characteristic of the intramuscular route of drug administration?
  - a. Only water solution can be injected
  - b. Oily solution can be injected
  - c. Opportunity of hypertonic solution injections
  - d. The action develops slower, than at oral administration [b]
- 80. When Bioequivalence studies are necessary
  - a. When the new drug is a gas
  - b. When new drug are to be administered parenterally as aqueous solutions and contain same active substance in the same concentration and the same excipient.
  - c. When the new drug is a powder for reconstitution as a solution
  - d. Fixed dose combination products with systemic action [d]

81. All the bacteria fix nitrogen except Cyanobacterial E. Coli. b. Azobacter d. Rhizobium [b] 82. The principal structural component of the cell wall in bacteria is made up of Simple protein a. b. Glycoprotein Peptidoglycan polymer c. d. Complex polysaccharide 83. Infected blood products may produce serum hepatitis due to the presence of Hepatitis A Virus a. Hepatitis B Virus b. Hepatitis C Virus c. d. Bacteriophage [b] 84. The microorganisms that can enter the body only through an injury is Salmonella typhi a. Clostridium tetani b. Clostridium botulinum d. Streptococcus pyrogenes [b] 85. Class 1 MHC antigen are present on All cells of the body b. Only cells of the immune system Only on leukocyte c. d. Only on skin cell [c]

86. The test which is useful for the identification of M. Tuberculosis Haemolysis a. Fermentation with sugar b. Gram staining c. d. Zeihi-Neelson staining [ d ] 87. Humoral Immune system mediated by **B-Cell of lymphocyte** a. b. T-Cell of lymphocyte A-Cell of lymphocyte c. d. D-Cell of lymphocyte The direct ELISA test requires 88. **Known Antibody** a. Known Antigen b. Patient Antibody c. d. Substrate [b] Antibiotic therapy can cure which of the following forms of syphilis? 89. Congenital syphilis a. Secondary syphilis b. Primary syphilis d. Tertiary syphilis [d] The single most important laboratory test for determining the virulence of staphylococci Mannitol fermentation b. The catalase test Detection of coagulase c. Detection fo penicillinase [c] d.

91. Effective human vaccines have been produced against Staphylococcus esculin Streptococcus agalactiae b. Streptococcus pyrogenes c. d. Streptococcus pneumoniae [ d ] 92. Which of the Crude drug is not under the class of organised drug Lectus a. b. **Flowers Fruits** c. d. Gums 93. The specific sites on antigen with which antibodies react are called Isotopes a. **Immunogens** b. **Epitopes** c. d. Carriers [c] 94. All of the following enzyme can be seen in viruses EXCEPT Neuraminidase a. RNA dependent RNA Polymerase b. Collagenase d. [c] Protease 95. Which technique currently is used for the sero diagnosis of AIDS? Radioimmunoassay b. **ELISA** Two dimensional immunoelectrophoresis c. d. Polymerase chain reaction [b]

